


**APPENDIX J      LANDOWNER ENGAGEMENT LETTERS  
AND MAPS**



3 October 2022

Dear Roger, Lyn, Ainsley and Phillip Luscombe,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy’s Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC’s).

The table below summarises the proposed changes that relate to your property:

Activity	Operative STDP (the current situation)	Proposed Plan Change (if the plan change is granted)
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	N/A – No PARC currently on property	Resource consent required as a <b>non-complying activity</b> within a 2646m2 area adjoining KA-02 wellsite.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

E enquiries@toddenery.co.nz

P +64 6 759 5350

F +64 6 757 8006

www.toddenery.co.nz

32-38 Molesworth St | PO Box 802


New Plymouth 4340 | New Zealand

**Excellence  
in Energy**

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Roger and Lyn Luscombe,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007

Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Blair and Olivia Luscombe,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).


The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenergy.co.nz](mailto:driley@toddenergy.co.nz)

3 October 2022

Dear Steve and Nicole Bailey,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).


The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenergy.co.nz](mailto:driley@toddenergy.co.nz)

3 October 2022

Dear Colin and Caroline Koch,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:


<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	N/A – No PARC currently on property	Resource consent required as a <b>non-complying activity</b> within 1032m <sup>2</sup> area adjoining KA 8/18 wellsite

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*



The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007

Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Eddie Bourke,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: driley@toddenenergy.co.nz

3 October 2022

Dear Balance Agri-nutrients,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	N/A – No PARC currently on property	Resource consent required as a <b>non-complying activity</b>

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007

Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Maurice and Karen Hurley,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	N/A – No PARC currently on property	Resource consent required as a <b>non-complying activity</b>

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', with a long, sweeping tail on the final letter.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Mark Hughson and Bruce Moller,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).


The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenergy.co.nz](mailto:driley@toddenergy.co.nz)

3 October 2022

Dear Rod and Maree Goldsworthy,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).


The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)



3 October 2022

Dear John and Margaret Smith,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Powerco,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	N/A – No PARC currently on property	Resource consent required as a <b>non-complying activity</b>

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Johannas and Kim Schrader,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenergy.co.nz](mailto:driley@toddenergy.co.nz)

3 October 2022

Dear Kiwirail,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	Resource consent required as a <b>non-complying activity</b>	Resource consent required as a <b>non-complying activity</b>

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Darryl Smith,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	Resource consent required as a <b>non-complying activity</b>	Resource consent required as a <b>non-complying activity</b>
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a PARC (STDP rule 3.1.4(m) (i))	Resource consent required as a <b>discretionary activity</b>	Resource consent required as a <b>discretionary activity</b>
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within a PARC (STDP rule 3.1.5(f) (i))	Resource consent required as a <b>non-complying activity</b>	Resource consent required as a <b>non-complying activity</b>
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic




generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))		consequence setbacks are removed*.
--	--	---------------------------------------

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Colleen Pease and Jamie Wallace,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	N/A – No PARC currently on property	Resource consent required as a <b>non-complying activity</b>

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007

Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Kieran and Susan Crowley,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

Activity	Operative STDP (the current situation)	Proposed Plan Change (if the plan change is granted)
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenergy.co.nz](mailto:driley@toddenergy.co.nz)

3 October 2022

Dear Alistair, Imelda and Stephen Abbott,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).


The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Brent, Kevin, Olive & Rodney Perrett & Robin Gill,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Construction of a new sensitive activity, such as a dwelling, within a PARC (STDP rule 3.1.5 (e))	N/A – No PARC currently on property	Resource consent required as a <b>non-complying activity</b> within a 3469m <sup>2</sup> area of your property
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Sandra Heath,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*



The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Bernard, Daniel, Peter and Robert Malone,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Patricia Nuku,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Andre Webb,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Neil Schuler,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', with a long, sweeping tail on the final letter.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)



3 October 2022

Dear John and Phyllis Malcolm,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms, <u>up to 20%</u> ground floor area, within a generic 250m or 650m consequence setbacks (STDP rule 3.1.4(m) (ii))	Resource consent required as a <b>discretionary activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.
Additions or alterations to existing habitable rooms <u>20% or greater</u> in ground floor area within generic 250m or 650m consequence setbacks (rule 3.1.5(f) (ii))	Resource consent required as a <b>non-complying activity</b>	No specific resource consent process required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', written in a cursive style.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Richard and Bridget Rukuwai,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'David Riley', with a long, sweeping tail on the final letter.

David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear Kelvin Buckthought,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*

The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,



David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: [driley@toddenenergy.co.nz](mailto:driley@toddenenergy.co.nz)

3 October 2022

Dear South Taranaki District Council,

**RE: SOUTH TARANAKI DISTRICT PLAN – PLAN CHANGE APPLICATION TO REPLACE GENERIC RISK CONSEQUENCE SETBACKS**

Please find attached, plans illustrating the proposed changes to the South Taranaki District Plan (STDP) maps, as it effects your property. Todd will be applying to the South Taranaki District Council (STDC) for this plan change and would like to meet with you and obtain your feedback prior to an application being submitted.

This proposed plan change will replace generic consequence setbacks at Todd Energy's Kapuni wellsites (250m setback) and the Kapuni Gas Treatment Plant (650m setback), with quantified Petroleum Activity Risk Contours (PARC's).

The table below summarises the proposed changes that relate to your property:

<b>Activity</b>	<b>Operative STDP (the current situation)</b>	<b>Proposed Plan Change (if the plan change is granted)</b>
Construction of a new sensitive activity, such as a dwelling, within the generic 250m or 650m consequence setbacks (STDP rule 3.1.5(d))	Resource consent is required as a <b>non-complying activity</b>	No specific resource consent process is required as generic consequence setbacks are removed*.

*\*Consent may be required under other operative district plan provisions, such as dwelling bulk and location or vehicle access provisions.*


The next step in this plan change process is to engage with you for your feedback. We be in touch shortly to arrange for a meeting to discuss any queries document feedback that you may have on this plan change process.

Yours faithfully,




David Riley  
**Community Partnerships Manager**

Phone: 0800 001 007  
Email: driley@toddenenergy.co.nz




Land is impacted by KA13, KA5/10 and KGTP. See also 210671-126-GIS Sheet 24 for Kapuni 2 Impacted Area

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed


LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:8,000	
		ORIGINAL SIZE	A3	



TITLE		
LUSCOMBE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	1	1




**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:1,900	
		ORIGINAL SIZE	A3	







**TITLE**  
KOLEY LIMITED PARTNERSHIP  
CURRENT STDC GENERIC  
CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	210671-126-GIS	SHEET	2	REVISION	1
------------	----------------	-------	---	----------	---






**Legend**


-  Buffer
-  Impacted Area
-  Affected Landowner
-  Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed


LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:4,000	
		ORIGINAL SIZE	A3	



TITLE		
COLIN AND CAROLINE KOCH CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	3	1



**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:1,500	
		ORIGINAL SIZE	A3	




TITLE  
**BOURKE  
CURRENT STDC GENERIC  
CONSEQUENCE SETBACK IMPACTED AREA**

DRAWING No	SHEET	REVISION
210671-126-GIS	4	1



**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,600	
		ORIGINAL SIZE	A3	



**TITLE**  
Ballance Agri-nutrients (Kapuni) Limited  
CURRENT STDC GENERIC  
CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	210671-126-GIS	SHEET	5	REVISION	1
------------	----------------	-------	---	----------	---




Land is impacted by KA5/10. See also 210671-126-GIS Sheet 7 for Kapuni 6/11/17 Impacted Area

**Legend**

- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	






See also 210671-126-GIS Sheet 6 for Kapuni 5/10 Impacted Area

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,400	
		ORIGINAL SIZE	A3	



Ahipaipa Farms Limited  
CURRENT STDC GENERIC  
CONSEQUENCE SETBACK IMPACTED AREA


DRAWING No.	210671-126-GIS	SHEET	7	REVISION	1
-------------	----------------	-------	---	----------	---



**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,300	
		ORIGINAL SIZE	A3	



TITLE		
KELLY CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	8	1




See also 210671-126-GIS Sheet 19 for Kapuni 1/7/19/20 and KGTP Impacted Area

**Legend**

- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:4,000	
		ORIGINAL SIZE	A3	



GOLDSWORTHY CURRENT STDG GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	9	1







Ahipaipa Rd


365 sq m

Land is impacted by KA5/10.

**Legend**


-  Buffer
-  Impacted Area
-  Affected Landowner
-  Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:200	
		ORIGINAL SIZE	A3	



TITLE		
JOHN AND MARGARET SMITH CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	10	1






**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	




TITLE		
Powerco Limited CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	11	1



**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:1,300	
		ORIGINAL SIZE	A3	




<b>SCHRADER CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA</b>		
DRAWING No	SHEET	REVISION
210671-126-GIS	12	1



See also 210671-126-GIS Sheet 29 for KGTP Impacted Area

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI		
PROJECT No.	210671		
DRAWN	C. GRAHAM	19/07/22	TITLE
CHECKED	G. JOHNSTON	19/07/22	Kiwirail CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA
SCALE	1:2,500		
ORIGINAL SIZE	A3		



DRAWING No.	210671-126-GIS	SHEET	13	REVISION	1
-------------	----------------	-------	----	----------	---




Land is impacted by KA1/7/19/20 and KGTP.

**Legend**

- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:5,800	
		ORIGINAL SIZE	A3	






**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
		CHECKED	G. JOHNSTON	19/07/22
PROJECT No.	210671	SCALE	1:3,900	
		ORIGINAL SIZE	A3	



TITLE		
PEASE CURRENT STDG GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	15	1



Kapuni  
4/14

Neill Rd

Palmer Rd


2,320 sq m

Land is impacted by KA4/14

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:700	
		ORIGINAL SIZE	A3	




CROWLEY CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	16	1



**Legend**

- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C.GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,100	
		ORIGINAL SIZE	A3	



**ABBOTT**  
 CURRENT STDC GENERIC  
 CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	SHEET	REVISION
210671-126-GIS	17	1




Land is impacted by KA13, KA5/10 and KGTP.

**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.




NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:7,300	
		ORIGINAL SIZE	A3	



TITLE		
PERRETT CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	18	1






Land is impacted by KA1/7/19/20 and KGTP. See also 210671-126-GIS Sheet 9 for KA9/16 impacted area

**Legend**

- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

LOCATION	KAPUNI
PROJECT No.	210671

DRAWN	C. GRAHAM	19/07/22
CHECKED	G. JOHNSTON	19/07/22
SCALE	1:3,900	
ORIGINAL SIZE	A3	






**Legend**

- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

Land is impacted by KA5/10.

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	



TITLE		
HEATH CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	20	1




See also 210671-126-GIS Sheet 22 for Kapuni 6/11/17 Impacted Area

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:800	
		ORIGINAL SIZE	A3	




TITLE		
MALONE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	21	1




See also 210671-126-GIS Sheet 21 for Kapuni 5/10 Impacted Area

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C.GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,200	
		ORIGINAL SIZE	A3	



TITLE		
MALONE CURRENT STDG GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	22	1




Land is impacted by KA5/10.

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	



TITLE		
NUKU CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	23	1




See also 210671-126-GIS Sheet 1 for KGTP, Kapuni 13 and Kapuni 5/10 Impacted Areas

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C.GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,900	
		ORIGINAL SIZE	A3	



TITLE  
 LUSCOMBE  
 CURRENT STDC GENERIC  
 CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	SHEET	REVISION
210671-126-GIS	24	1



Ahipaipa Rd


885 sq m

Land is impacted by KA5/10.

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed


LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	



TITLE		
WEBB CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	25	1



**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



1:2,100

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,100	
		ORIGINAL SIZE	A3	



TITLE		
SCHULER CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	26	1






**Legend**

- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,900	
		ORIGINAL SIZE	A3	




TITLE		
MALCOLM CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	27	1



**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,900	
		ORIGINAL SIZE	A3	



TITLE		
RUKUWAI CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	28	1



See also 210671-126-GIS Sheet 13 for KA9/16 Impacted Area

**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.

0 60 120 240 360 480 Meters  
**1:7,800**

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:7,800	
		ORIGINAL SIZE	A3	







Kiwirail CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	29	1



Land is impacted by KA2.

**Legend**


-  Buffer
-  Impacted Area
-  Affected Landowner
-  Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:1,200	
		ORIGINAL SIZE	A3	



**TITLE**  
 Kelvin Buckthought Farm Limited  
 CURRENT STDC GENERIC  
 CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	210671-126-GIS	SHEET	30	REVISION	1
------------	----------------	-------	----	----------	---




Total area for STDC: 39,130 sq m

**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C.GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:11,000	
		ORIGINAL SIZE	A3	




South Taranaki District Council CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	31	1




Land is impacted by KA5/10 and KGTP.

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:6,600	
		ORIGINAL SIZE	A3	



TITLE		
BLAIR LUSCOMBE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	32	1




Land is impacted by KGTP.

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.




NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,900	
		ORIGINAL SIZE	A3	




TITLE		
ROGER AND LYN LUSCOMBE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	33	1




Land is impacted by KA13, KA5/10 and KGTP. See also 210671-126-GIS Sheet 24 for Kapuni 2 Impacted Area

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:8,000	
		ORIGINAL SIZE	A3	



TITLE		
LUSCOMBE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	1	1






**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:1,900	
		ORIGINAL SIZE	A3	







**TITLE**  
 KOLEY LIMITED PARTNERSHIP  
 CURRENT STDC GENERIC  
 CONSEQUENCE SETBACK IMPACTED AREA


DRAWING No	210671-126-GIS	SHEET	2	REVISION	1
------------	----------------	-------	---	----------	---



**Legend**


-  Buffer
-  Impacted Area
-  Affected Landowner
-  Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed


LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:4,000	
		ORIGINAL SIZE	A3	



TITLE		
COLIN AND CAROLINE KOCH CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	3	1



**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:1,500	
		ORIGINAL SIZE	A3	




TITLE		
BOURKE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	4	1



**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C.GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,600	
		ORIGINAL SIZE	A3	



TITLE		
Balance Agri-nutrients (Kapuni) Limited CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	5	1




Land is impacted by KA5/10. See also 210671-126-GIS Sheet 7 for Kapuni 6/11/17 Impacted Area

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	



Ahipaipa Farms Limited  
CURRENT STDC GENERIC  
CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	SHEET	REVISION
210671-126-GIS	6	1




See also 210671-126-GIS Sheet 6 for Kapuni 5/10 Impacted Area

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,400	
		ORIGINAL SIZE	A3	




Ahipaipa Farms Limited CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	7	1



**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,300	
		ORIGINAL SIZE	A3	



KELLY  
CURRENT STDC GENERIC  
CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	210671-126-GIS	SHEET	8	REVISION	1
------------	----------------	-------	---	----------	---




See also 210671-126-GIS Sheet 19 for Kapuni 1/7/19/20 and KGTP Impacted Area

**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:4,000	
		ORIGINAL SIZE	A3	



TITLE		
GOLDSWORTHY CURRENT STDG GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	9	1









Ahipaipa Rd


365 sq m

**Legend**

-  Buffer
-  Impacted Area
-  Affected Landowner
-  Land Parcels

Land is impacted by KA5/10.

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:200	
		ORIGINAL SIZE	A3	




TITLE		
JOHN AND MARGARET SMITH CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	10	1



**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed






LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	




TITLE		
Powerco Limited CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	11	1



**Legend**


-  Buffer
-  Impacted Area
-  Railway
-  Affected Landowner
-  Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:1,300	
		ORIGINAL SIZE	A3	



<b>SCHRADER CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA</b>		
DRAWING No	SHEET	REVISION
210671-126-GIS	12	1




See also 210671-126-GIS Sheet 29 for KGTP Impacted Area

**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,500	
		ORIGINAL SIZE	A3	



Kiwirail CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	13	1




Land is impacted by KA1/7/19/20 and KGTP.

**Legend**

- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:5,800	
		ORIGINAL SIZE	A3	






**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,900	
		ORIGINAL SIZE	A3	



TITLE		
PEASE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	15	1



Kapuni  
4/14

Neill Rd

Palmer Rd


2,320 sq m

Land is impacted by KA4/14

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:700	
		ORIGINAL SIZE	A3	




TITLE		
CROWLEY CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	16	1



**Legend**

- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



1:2,100

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,100	
		ORIGINAL SIZE	A3	



**ABBOTT**  
 CURRENT STDC GENERIC  
 CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	210671-126-GIS	SHEET	17	REVISION	1
------------	----------------	-------	----	----------	---






Land is impacted by KA13, KA5/10 and KGTP.

**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:7,300	
		ORIGINAL SIZE	A3	




PERRETT CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	18	1




Land is impacted by KA1/7/19/20 and KGTP. See also 210671-126-GIS Sheet 9 for KA9/16 impacted area

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.




NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed





LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,900	
		ORIGINAL SIZE	A3	



GOLDSWORTHY CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	19	1




**Legend**

-  Buffer
-  Impacted Area
-  Affected Landowner
-  Land Parcels


Land is impacted by KA5/10.

**GENERAL NOTES**  
 1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
 GIS data and imagery are for indicative purposes only.  
 Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	



TITLE		
HEATH CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	20	1



Kapuni 4/14

2,686 sq m

Neill Rd


Palmer Rd

**Legend**

- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels


See also 210671-126-GIS Sheet 22 for Kapuni 6/11/17 Impacted Area

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:800	
		ORIGINAL SIZE	A3	




TITLE		
MALONE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	21	1




See also 210671-126-GIS Sheet 21 for Kapuni 5/10 Impacted Area

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,200	
		ORIGINAL SIZE	A3	



TITLE		
MALONE CURRENT STDG GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	22	1




Land is impacted by KA5/10.

**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	




TITLE		
NUKU CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	23	1




See also 210671-126-GIS Sheet 1 for KGTP, Kapuni 13 and Kapuni 5/10 Impacted Areas

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C.GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,900	
		ORIGINAL SIZE	A3	



TITLE		
LUSCOMBE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	24	1







Ahipaipa Rd


885 sq m

Land is impacted by KA5/10.

**Legend**

-  Buffer
-  Impacted Area
-  Affected Landowner
-  Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:300	
		ORIGINAL SIZE	A3	




TITLE		
WEBB CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	25	1





**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,100	
		ORIGINAL SIZE	A3	



TITLE  
SCHULER  
CURRENT STDC GENERIC  
CONSEQUENCE SETBACK IMPACTED AREA


DRAWING No	SHEET	REVISION
210671-126-GIS	26	1



**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,900	
		ORIGINAL SIZE	A3	



TITLE		
MALCOLM CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	27	1



**Legend**


- Buffer
- Impacted Area
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.

0 20 40 80 120 160 Meters  
**1:2,900**

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:2,900	
		ORIGINAL SIZE	A3	



TITLE		
RUKUWAI CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	28	1




See also 210671-126-GIS Sheet 13 for KA9/16 Impacted Area

**Legend**

- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:7,800	
		ORIGINAL SIZE	A3	







Kiwirail CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	29	1



Land is impacted by KA2.

**Legend**


-  Buffer
-  Impacted Area
-  Affected Landowner
-  Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:1,200	
		ORIGINAL SIZE	A3	



TITLE		
Kelvin Buckthought Farm Limited CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	30	1




Total area for STDC: 39,130 sq m

**Legend**


- Buffer
- Impacted Area
- Railway
- Affected Landowner
- Land Parcels

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C.GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:11,000	
		ORIGINAL SIZE	A3	




South Taranaki District Council  
CURRENT STDC GENERIC  
CONSEQUENCE SETBACK IMPACTED AREA

DRAWING No	210671-126-GIS	SHEET	31	REVISION	1
------------	----------------	-------	----	----------	---




Land is impacted by KA5/10 and KGTP.

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:6,600	
		ORIGINAL SIZE	A3	




TITLE		
BLAIR LUSCOMBE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No.	SHEET	REVISION
210671-126-GIS	32	1




Land is impacted by KGTP.

**GENERAL NOTES**  
1. Coordinates are in terms of New Zealand Transverse Mercator  
**DISCLAIMER**  
GIS data and imagery are for indicative purposes only.  
Cadastral information sourced from LINZ. Crown copyright reserved.



NO	DATE	BY	CHKD.	REVISIONS
1	08/08/22	CG	GJ	Pipelines removed

LOCATION	KAPUNI	DRAWN	C. GRAHAM	19/07/22
PROJECT No.	210671	CHECKED	G. JOHNSTON	19/07/22
		SCALE	1:3,900	
		ORIGINAL SIZE	A3	



TITLE		
ROGER AND LYN LUSCOMBE CURRENT STDC GENERIC CONSEQUENCE SETBACK IMPACTED AREA		
DRAWING No	SHEET	REVISION
210671-126-GIS	33	1